

2006 Estimate Cases	5 Year Survival	2005 Estimate Cases	Estimated 1-5 Year Survivors
24,390	66.1%	24,320	82,010
2,010	66.1%	1,930	8,280
25,450	66.1%	23,880	91,460
15,220	66.1%	14,950	52,380
138,680	66.1%	135,030	521,240
16,850	66.1%	16,080	65,050
17,320	66.1%	16,920	66,790
4,190	66.1%	3,800	15,510
2,680	66.1%	2,820	9,340
98,960	66.1%	96,200	358,780
36,650	66.1%	35,650	130,510
5,600	66.1%	4,790	20,740
5,900	66.1%	5,490	21,890
60,220	66.1%	59,730	214,070
32,710	66.1%	31,900	110,120
16,310	66.1%	15,910	57,900
13,210	66.1%	12,930	45,700
23,690	66.1%	23,020	82,900
23,890	66.1%	23,280	81,560
7,910	66.1%	7,750	29,240
25,870	66.1%	25,450	93,450
33,310	66.1%	33,030	121,980
48,250	66.1%	50,220	182,810
23,520	66.1%	22,890	84,090
15,120	66.1%	14,970	49,620
31,050	66.1%	30,210	106,720
4,780	66.1%	4,910	17,790
8,450	66.1%	8,330	30,520
11,600	66.1%	11,120	40,550
6,470	66.1%	6,310	24,600
43,910	66.1%	43,000	163,370

Year	2008		3 Year		2007		4 Year		2006		5 Year		2005		Estimated	
	Estimate	Cases	Survival	Estimate	Estimate	Cases	Survival	Estimate	Cases	Estimate	Cases	Survival	Estimate	Cases	Estimate	Survivors
5%	8,260		69.4%	8,030		67.4%	8,150		66.1%	7,780		66.1%	7,780		29,160	
5%	97,130		69.4%	100,960		67.4%	88,230		66.1%	87,050		66.1%	87,050		337,620	
5%	40,420		69.4%	38,210		67.4%	40,890		66.1%	40,520		66.1%	40,520		143,520	
5%	3,090		69.4%	3,340		67.4%	3,170		66.1%	3,080		66.1%	3,080		11,260	
5%	56,840		69.4%	59,220		67.4%	61,310		66.1%	59,680		66.1%	59,680		212,330	
5%	17,860		69.4%	17,170		67.4%	18,640		66.1%	18,460		66.1%	18,460		63,920	
5%	19,230		69.4%	18,630		67.4%	18,290		66.1%	17,720		66.1%	17,720		66,070	
5%	70,110		69.4%	75,130		67.4%	73,630		66.1%	71,840		66.1%	71,840		258,600	
5%	6,120		69.4%	6,360		67.4%	5,900		66.1%	5,870		66.1%	5,870		21,640	
5%	20,740		69.4%	21,370		67.4%	22,530		66.1%	21,860		66.1%	21,860		76,940	
5%	4,080		69.4%	3,990		67.4%	4,060		66.1%	3,900		66.1%	3,900		14,290	
5%	29,390		69.4%	28,440		67.4%	32,140		66.1%	31,080		66.1%	31,080		108,950	
5%	96,320		69.4%	91,020		67.4%	85,570		66.1%	86,880		66.1%	86,880		325,580	
5%	7,760		69.4%	7,660		67.4%	6,620		66.1%	6,380		66.1%	6,380		26,630	
5%	3,530		69.4%	3,500		67.4%	2,970		66.1%	3,030		66.1%	3,030		11,790	
5%	35,590		69.4%	35,090		67.4%	34,990		66.1%	33,680		66.1%	33,680		122,950	
5%	32,380		69.4%	31,080		67.4%	28,350		66.1%	27,350		66.1%	27,350		107,710	
5%	10,250		69.4%	10,490		67.4%	11,280		66.1%	11,190		66.1%	11,190		37,780	
5%	27,590		69.4%	28,130		67.4%	26,390		66.1%	26,340		66.1%	26,340		96,470	
5%	2,570		69.4%	2,340		67.4%	2,500		66.1%	2,380		66.1%	2,380		8,720	

states and is based on cases diagnosed in SEER 17 areas during 1999-2005, followed through Dec 2006. Do not include 2010 cases because survival is defined here as those surviving at least 1 year; the number of 7 estimated cases multiplied by 3 year survival rate, 2008 estimated cases multiplied by 2 year survival by 1 year survival rate.

ar  
val

E

3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%  
3.0%

5 Estimated  
ate 1-5 Year  
as Survivors

,320 74,700  
,930 7,590  
,880 83,520  
,950 47,730  
,030 476,160  
,080 59,520  
,920 61,080  
,800 14,180  
,820 8,500  
,200 327,290  
,650 119,110  
,790 18,990  
,490 20,020  
,730 195,130  
,900 100,270  
,910 52,810  
,930 41,650  
,020 75,590  
,280 74,270  
,750 26,710  
,450 85,250  
,030 111,330  
,220 166,820  
,890 76,660  
,970 45,150  
,210 97,220  
,910 16,240  
,330 27,840  
,120 36,990  
,310 22,490  
,000 149,140

2006 Estimated Cases	5 Year Survival	2005 Estimate Cases	Estimated 1-5 Year Survivors
8,150	56.0%	7,780	26,630
88,230	56.0%	87,050	308,520
40,890	56.0%	40,520	130,880
3,170	56.0%	3,080	10,260
61,310	56.0%	59,680	193,550
18,640	56.0%	18,460	58,220
18,290	56.0%	17,720	60,300
73,630	56.0%	71,840	235,710
5,900	56.0%	5,870	19,740
22,530	56.0%	21,860	70,100
4,060	56.0%	3,900	13,040
32,140	56.0%	31,080	99,310
85,570	56.0%	86,880	297,470
6,620	56.0%	6,380	24,400
2,970	56.0%	3,030	10,780
34,990	56.0%	33,680	112,080
28,350	56.0%	27,350	98,460
11,280	56.0%	11,190	34,370
26,390	56.0%	26,340	87,990
2,500	56.0%	2,380	7,950

in SEER 17 areas during 1999-2005, followed through Dec 2006. It is defined here as those surviving at least 1 year; the number of cases multiplied by 5-year survival rate, 2006 estimated cases survival rate, 2008 estimated cases multiplied by 2 year survival